

U.S. Department of Homeland Security

United States Coast Guard

LOCAL NOTICE TO MARINERS WEEKLY EDITION

District: 13 Week: 43/04

Boating Safety Classes or Information: 1-800-336-BOAT (2628)

ISSUED BY: COMMANDER, THIRTEENTH COAST GUARD DISTRICT (oan)
915 Second Avenue, Seattle, Washington 98174-1067
Telephone (206) 220-7280 FAX # (206) 220-7265
Email: D13LNM@pacnorwest.uscg.mil
http://www.navcen.uscg.gov/lnm/d13/

LIGHT LIST REFERENCE: COMDTPUB P16502.6, Light List Volume VI, 2004 Edition

UNITED STATES COAST GUARD NAVIGATION INFORMATION SERVICE (NIS)

The United States Coast Guard Navigation Information Service (NIS), operated by the USCG Navigation Center, is staffed 24 hours a day, 7 days a week. The NIS provides information on the current operational status, effective policies, and general information for GPS, DGPS, and LORAN-C. The NIS also disseminates Safety Broadcasts (BNM), Local Notice to Mariners (LNM), and the latest Notice Advisory to Navstar Users (NANU). NANU notices can also be obtained via e-mail subscription through the USCG Navigation Center website http://www.navcen.uscg.gov/gps/status/default.htm.

In addition, the NIS investigates all reports of degradation or loss of GPS, DGPS or LORAN service. Mariners are encouraged to report all degradation of radio navigation services to the NIS via any of the following: Phone:703-313-5900, Email: webmaster@navcen.uscg.mil or on the World Wide Web at: http://www.navcen.uscg.gov.

BROADCAST NOTICE TO MARINERS

This section contains a range of all the significant Broadcast Notice to Mariners (BNM's) on the date of this edition.

 Originating Unit
 Beginning BNM
 Ending BNM

 CGD THIRTEEN
 D13-1197-04
 D13-2019-04

ABBREVIATIONS

ACOE - Army Corps of Engineers ADRIFT - Buoy Adrift AICW - Atlantic Intracoastal Waterway B - Buoy BKW - Breakwater B - Refer to Light List BNM - Broadcast Notice to Mariner CG - Refer to Light List CHAN - Channel CGD - Coast Guard District CR - Refer to Light List C/O - Cut Off CONT - Contour CONSTR - Construction CRK - Creek CONST - Construction DBN - Daybeacon DBD/DAYBD - Dayboard

DBN/DAST - Daybeacon Destroyed
DBN IMCH - Daybeacon Improper
Characteristic
DISCON - Discontinued

DMGD - Daybeacon Damaged

INL - Inlet
INOP - Not Operating
ISL - Islet
KBG - Refer to Light List
KBG-I - Refer to Light List
KBR - Refer to Light List
KBR-I - Refer to Light List
KBR-I - Refer to Light List
KBW - Refer to Light List
KGB - Refer to Light List
KGB - Refer to Light List
KGR-I - Refer to Light List
KGR - Refer to Light List

EST - Established Aid

EVAL - Evaluation

EXT - Extinguished

HAZ - Hazard to Navigation

HOR - Horizontal Clearance

ICW - Intracoastal Waterway

IMPCHA - Improper Characteristics

FL - Flashing

HBR - Harbor

HT - Height

F/S - Fog Signal

KGW - Refer to Light List KGW - I - Refer to $\bar{\text{Light}}$ List KRB - Refer to Light List KRB-I - Refer to Light List KRG - Refer to Light List KRG-I - Refer to Light List KRW - Refer to Light List KWB - Refer to Light List KWB-I - Refer to Light List KWG - Refer to Light List KWG-I - Refer to Light List KWR - Refer to Light List KWR-I - Refer to Light List LAT - Latitude LB - Lighted Buoy LBB - Lighted Bell Buoy LHB - Lighted Horn Buoy LGB - Lighted Gong Buoy LONG - Longitude

LNM - Local Notice to Mariners LT - Light LT CONT - Light Continuous

LWB - Lighted Whistle Buoy

43/04 Page 1 of 12 10/26/2004

MISS - Missing
MR - Refer to Light List
MR-I - Refer to Light List
N/A - Not Available
NB - Refer to Light List
N/C - Not Charted

ND - Refer to Light List NG - Refer to Light List

NIMA - National Imagery and Mapping Agency

NL - Refer to Light List NO - Number

NOS - National Ocean Service NR - Refer to Light List

NW - Refer to Light List NW - Notice Writer NY - Refer to Light List OBSCU - Obscured
OBST - Obstruction
OBSTR - Obstruction
PRIV - Private Aid
RBN - Radio Beacon
REBUILT - Aid Rebuilt
RECOVERED - Aid Recovered
RED - Red Buoy

REDINT - Reduced Intensity
RRL - Range Rear Light
RELIGHTED - Aid Relighted
RELOC - Relocated

RESET ON STATION - Aid Reset on Station

RFL - Range Front Light

RIV - River SEC - Section SG - Green Square on pile

SG-SY - Green Square with Yellow Square on

pile

SHL – Shoaling SND - Sound STM - Statue Mile

TEMP - Temporary Aid Change TR - Red Triangle on pile

TRLB - Temporarily Replaced by Lighted Buoy TRLT - Temporarily Replaced by Light TR-TY - Red Triangle with Yellow Triangle on

pile

TRUB - Temporarily Replaced by Unlighted

Buov

Additional Abbreviations Specific to this LNM Edition:

LED - Light Emitting Diode LWP - Light Watching Properly

SECTION I - SPECIAL NOTICES

This section contains information of special concern to the Mariner.

WASHINGTON - OFF SHORE - Gunnery Exercise

The U.S. Coast Guard will be conducting live firings in area W-237F, within 10NM of approximate position 47-52-00N 126-43-00W, from 0800 to 1800 local 05 Nov 04. For additional information, contact the U.S. Coast Guard at (619) 556-6545.

L NM: 43/04

WASHINGTON - OREGON - Fisheries Closure

Fishing for albacore tuna in U.S. fisheries waters by Canadian fishing vessels will be closed midnight 31 Oct 04. Accordingly, all albacore vessels within U.S. fisheries waters must cease fishing and be within 12 miles or in port and file a stop fishing report with ShipCom. For additional information, contact USCG District 13, Office of Law Enforcement, at (206) 220-7309.

Charts 18480, 18500, 18520,18580, 18600 LNM: 43/04

WASHINGTON - HOOD CANAL - Surface / Subsurface Operations

Naval Undersea Warfare Center (NUWC) Keyport Division is operating an Undersea Unmanned Vehicle in the vicinity of Hazel Point to South Hood Canal at approximate position 47-44-00N 122-44-18W, from 0600 to 2300 local, from 15 Oct 04 to 31 Jan 05. Navy vessels US Navy Barge YC-1635, a small boat, and a Dabob Range guard boat will also participate in the operations. Mariners are requested to use caution in the area. For additional information, mariners can contact Navy Barge YC-1635 on VHF-FM Channels 16 / 88 or call (360) 621-4378.

Chart 18445 LNM: 42/04

WASHINGTON - GUEMES CHANNEL - Construction

Mason Construction will be working on the Guemes and Anacortes ferry docks commencing with the Guemes side on 18 Oct 04, then tentatively on the Anacortes side on 15 Nov 04 and finish approximately 30 Nov 04. Manson Construction equipment consists of the pile driver Norseman, tugboat Elmer, barge Manson 35 and Barge 110. Mariners are requested to caution in the vicinity of the construction equipment. For additional information, contact the Skagit County Public Works at (360) 336-9400.

Chart 18421 LNM: 42/04

WASHINGTON - APPROACHES TO STRAIT OF JUAN DE FUCA - Survey Operations

The NOAA Ship Rainier and her survey launches will be conducting survey operations in the vicinity of Smith Island at the eastern approaches to the Strait of Juan De Fuca from 19 Oct to 12 Nov 04. The Rainier and her survey launches will monitor VHF-FM Channels 05A, 13, and 16. For additional information, contact the Rainier at (877) 665-6533.

Chart 18480 LNM: 42/04

SNAKE RIVER - LOWER MONUMENTAL NAVIGATION LOCK - Damage

Due to recent contact with a barge, the upstream concrete guidewall on the north side of the Lower Monumental Lock, at Snake River Mile 41.6, has experienced damage to the concrete and steel reinforcement. The damaged area starts at the upstream end of the concrete at its intersection with the floating guidewall, and extends approximately 40 feet along the top edge of the concrete toward the lock chamber. Although nothing is protruding into the lock approach, there are still small pieces of exposed steel along the upper edge of the guidewall. Mariners are requested to use caution to avoid contact with the wall in this area. For additional information, contact the Army Corps of Engineers at (509) 527-7115.

LNM: 40/04

WASHINGTON - PUGET SOUND - Geoduck Harvesting

Geoduck harvesting will be conducted in the area of Point Heyer (east side of Vashon Island) and in Pitt Passage (west side of McNeil Island) from 11 Oct 04 to 28 Jan 05. These operations will take place from 0800 until 1600 local, Monday through Friday, excluding state holidays. The Department of Natural Resources patrol boat will be onsite and monitoring VHF-FM Channel 8. Vessels transiting the area are requested to stay 300ft clear of divers. For additional information, contact the Washington Department of Natural Resources at (360) 902-1100.

Charts 18448,18474 LNM: 40/04

43/04 Page 2 of 12 10/26/2004

SECTION II - DISCREPANCIES

This section lists all reported and corrected discrepancies related to Aids to Navigation in this edition. A discrepancy is a change in the status of an aid to navigation that differs from what is published or charted.

LLNR	EDERAL AIDS) Aid Name	Status		BNM Ref.	LNM St	LNM E
9600	Yaquina Bay Entrance Lighted Gong Buoy 3	Off Station 34 yds / 173°T	18561	D13-1182-04	42/04	
11030	St Helens Range Front Light	Damaged / Off Station	18524	D13-1066-04	38/04	
11075	Warrior Rock Reef Lighted Buoy 4	Off Station 50 yds / 090°T	18525	D13-2018-04	43/04	
15595	Grays Harbor Channel Lighted Whistle Buoy 11	MISS	18502	D13-1093-04	39/04	
16095.1	Quillayute River Entrance Buoy 3A	Off Station	18480	D13-1185-04	42/04	
16185	Clallam Reef Lighted Bell Buoy 1	EXT	18460	D13-2019-04	43/04	
17615	Kilisut Harbor Daybeacon 8	Structure MISS / TRUB Off Station	18441	D13-0905-03	32/04	
19935	International Boundary Range C Front Light	IMPCHA / DBD Faded and Peeling	18421	D13-1191-02	38/02	
PANCIES (F	EDERAL AIDS) CORRECTED					
LLNR	Aid Name	Status		BNM Ref.	LNM St	LNM E
10325	Welch Island Channel Lighted Buoy 28	LWP	18523	D13-2002-04	42/04	43/04
15025	Elk Rock Island Light 13	LWP	18528	D13-2005-04	42/04	43/04
PANCIES (P	RIVATE AIDS)					
LLNR	Aid Name	Status	Chart No	BNM Ref.	LNM St	LNM
687	Seaside Data Buoy	MISS	18500	D13-1175-04	42/04	
9185	North Slough Channel Daybeacon 4	IMPCHA	18587	D13-0478-04	18/04	
9190	North Slough Channel Daybeacon 8	IMPCHA	18587	D13-1144-02	36/02	
9195	Haynes Inlet Channel Daybeacon 1	IMPCHA	18587	D13-0479-04	18/04	
9205	Haynes Inlet Channel Daybeacon 5	IMPCHA	18587	D13-0480-04	18/04	
9210	Haynes Inlet Channel Daybeacon 7	IMPCHA	18587	D13-0481-04	18/04	
12905	Port Kelly Range A Rear Daybeacon	OBSCU	18542	D13-1128-04	41/04	
12930.6	Lower Middle Channel Approach Buoy E	MISS	18542	D13-0800-04	30/04	
12930.7	Lower Middle Channel Approach Buoy G	MISS	18542	D13-0954-04	34/04	
12930.9	Lower Middle Channel Approach Buoy 3	IMPCHAR / Off station	18542	D13-0955-04	34/04	
12930.94	Lower Middle Channel Approach Buoy 9	IMPCHAR / Off station	18542	D13-0953-04	34/04	
13507	Lower Monumental Research Float	EXT	18546	D13-1137-04	41/04	
13697	Little Goose Research Float	EXT	18547	D13-1138-04	41/04	

15030	Oswego North Pier Light	IMPCHAR	18528	D13-0973-04	35/04
15035	Oswego South Pier Light	IMPCHAR	18528	D13-0974-04	35/04
17172	Blair Waterway Range Front Light	EXT	18448	D13-1151-04	41/04
17173	Blair Waterway Range Rear Light	EXT	18448	D13-1152-04	41/04
17731	Mariculture Lighted Buoys (2)	EXT	18441	D13-0957-04	35/04
18165	Lower Guide Wall Light	IMPCHAR	18447	D13-0840-04	31/04
18175	Upper Guide Wall Light	IMPCHAR	18447	D13-0841-04	31/04
19230	Georgia Pacific Outfall Lighted Buoy	EXT / DMGD	18421	D13-2001-04	43/04

DISCREPANCIES (PRIVATE AIDS) CORRECTED

LLNR	Aid Name	Status	Chart No BNM Ref.	LNM St	LNM End
None					

SECTION III - TEMPORARY CHANGES and TEMPORARY CHANGES CORRECTED

This section contains temporary changes and corrections to Aids to Navigation for this edition. When charted aids are temporarily relocated for dredging, testing, evaluation, or marking an obstruction, a temporary correction shall be listed in Section IV giving the new position.

TEMPORARY CHANGES

LLNR	Aid Name	Status	Chart No BNM Ref. LNM St LNM End						
16856	Coast Guard Pier Light North	TEMP DISCON	18449 D13-0729-03 26/03						
16857	Coast Guard Pier Light South	TEMP DISCON	18449 D13-0729-03 26/03						
TEMPORARY CHANGES CORRECTED									
LLNR	Aid Name	Status	Chart No BNM Ref. LNM St LNM End						
None									

SECTION IV - CHART CORRECTIONS

This section contains corrections to federally and privately maintained Aids to Navigation, as well as NOS corrections.

This section contains corrective actions affecting chart(s). Corrections appear numerically by chart number, and pertain to that chart only. It is up to the mariner to decide which Chart(s) are to be corrected. The following example explains the individual elements of a typical chart correction.

Chart Number ♣	Chart Edition	Edition Date •	Last Local Notice to Mariners ♣	Horizontal Datum Reference ▼	Source of Correction		Current Local Notice to Mariner
18427	20^{TH} ed	3/18/2000	Last LNM 25/99	NAD 83	(NOS Silver Sp	ring)	40/99
Chart Title: WA – ANACORTES TO SKAGIT BAY - (Temp) Add Ben Ure Island Light 2, Fl R 4s, 25ft 4M				at	48-24-12.100N	124-37-42.000W	
(Corrective	Object of Corre	ection			↑ Posit	ion

(Temp) indicates that the chart correction action is temporary in nature. Courses and bearings are given in degrees clockwise from 000 true. Bearings of light sectors are toward the light from seaward. The nominal range of lights is expressed in nautical miles (NM) unless otherwise noted.

18521 70th ed	Oct 2003 Last LNM 40/04 NAD 83	(CCGD 13)		43/04
Chart Title: OR - WA Delete	- COLUMBIA RIVER PACIFIC OCEAN TO HARRINGTON POINT Cathlamet Bay South Channel Buoy 7	at	46-10-54.568N	123-44-13.794W
18523 55th ed	Sep 2004 Last LNM 42/04 NAD 83 - COLUMBIA RIVER - HARRINGTON POINT TO CRIMS ISLAND	(CCGD-13)		43/04
Delete Add	Buoy 19 Cathlamet Channel Buoy 5	at at	46-12-49.000N 46-10-18.093N	123-37-32.000W 123-20-36.795W

OIL RIG MOVEMENT Drill Rigs/Vessels Removed Block Rias/Vessel Longitude Chart Type Status Latitude None **Drill Rigs/Vessels Established** Block Rigs/Vessel Status Latitude Longitude Chart Type None **SECTION V - ADVANCE NOTICES** This section contains advance notice of approved projects, changes to aids to navigation, or upcoming temporary changes such as dredging, etc. Mariners are advised to use caution while transiting these areas. SUMMARY OF ADVANCED APPROVED PROJECTS **Project Date** Ref. LNM Waterway None **SECTION VI - PROPOSED CHANGES** Periodically, the Coast Guard evaluates its system of aids to navigation to determine whether the conditions for which the aids to navigation were established have changed. When changes occur, the feasibility of improving, relocating, replacing, or discontinuing aids are considered. This section contains notice(s) of non-approved, proposed projects open for comment. SPECIAL NOTE: Mariners are requested to respond in writing to the District office Attn John Barberi (206) 220-7276 unless otherwise noted (see banner page for address). PROPOSED WATERWAY PROJECTS OPEN FOR PUBLIC COMMENT Ref. LNM Waterway Closing Docket No. COLUMBIA RIVER - HARRINGTON POINT TO CRIMS ISLAND 03 December 2004 LNM: 43/04 Navigation Aids: To accommodate solarization. Reduce the nominal range of Welch Island Channel Lighted Buoy 28 (LLNR 10325) from four (4) to three (3) nautical miles. Chart 18523 Docket No. Ref. LNM Waterway Closina WASHINGTON - COLUMBIA RIVER TO DESTRUCTION ISLAND 26 November 2004 LNM: 41/04 Navigation Aids: Due to new/improved navigation technology (DGPS), this fog signal is no longer considered necessary for safe navigation. Discontinue the fog signal at Destruction Island Light (LLNR 735). Charts 18003, 18007, 18480, 18500 Waterway Closing Docket No. Ref. LNM WASHINGTON - APPROACHES TO STRAIT OF JUAN DE FUCA 26 November 2004 LNM: 41/04 Navigation Aids: Due to new/improved navigation technology (DGPS), this fog signal is no longer considered necessary for safe navigation. Discontinue the fog signal at Cape Flattery Light (LLNR 760/16145). Charts 18400, 18460, 18480, 18485 Waterway Closing Docket No. Ref. LNM COLUMBIA RIVER - CRIMS ISLAND TO ST. HELENS LNM:40/04 12 November 2004 Navigation Aids: No longer considered necessary for safe navigation in the waterway. Discontinue Fisher Island Slough Light 4 (LLNR 10740). Chart 18524 Docket No. Ref. LNM Waterway Closing COLUMBIA RIVER - HARRINGTON POINT TO CRIMS ISLAND 29 October 2004 LNM: 39/04

43/04 Page 5 of 12 10/26/2004

Navigation Aids: No longer considered necessary for safe navigation in the waterway. Additionally, the structure is unsafe for servicing personnel.

Discontinue Pillar Rock Light 17 (LLNR 10270).

Chart 18523

Waterway
WASHINGTON – GRAYS HARBOR NORTH BAY

Closing 29 October 2004 Docket No.

Ref. LNM LNM: 39/04

Navigation Aids: No longer considered necessary for safe navigation in the waterway.

Relocate Grays Harbor North Channel Daybeacon 46A (LLNR 15805) to approximate position 46 58 03N, 123 52 35W and change the name to Grays Harbor North Channel Light 46 (LLNR 15805), showing a flashing red light every four seconds (FL R 4s), triangular shaped red dayboards and a nominal range of three (3) nautical miles.

Discontinue Charley Creek Dike Daybeacon 2 (LLNR 15975).

Chart 18502

<u>Waterway</u> COLUMBIA RIVER – HARRINGTON POINT TO CRIMS ISLAND Closing Docket No. 29 October 2004

Ref. LNM LNM: 39/04

Navigation Aids: No longer considered necessary for safe navigation in the waterway.

Discontinue Eureka Bar Dike Daybeacon (LLNR 10605).

Chart 18523

SECTION VII - GENERAL

This section contains information of general concern to the Mariners. Mariners are advised to use caution while transiting these areas.

OREGON - Bridge Information (Revisions of LNM 38/04)

Coos Bay

The Coos Bay Drawbridge at mile 9.0 need not open for the passage of vessels unless 48 hour notice is provided for all openings from 0700 to 1700 local, Monday through Friday, from 01 Oct to 12 Nov 04. These temporary special operations are necessary while major repairs are made to the steel truss. At other times the draw will operate normally.

Chart 18587 LNM: 42/04

OREGON - Bridge Information

Siuslaw River

The U.S.101 Bridge at Florence need not open for the passage of vessels from 0001 local 07 Sep to 2359 local 29 Oct 04. The temporary closure is authorized for a resurfacing project on the double-leaf bascule.

Chart 18583 LNM: 20/04

OREGON - Bridge Information

Siuslaw River

The U.S.101 Bridge at Florence need not open for the passage of vessels from 0001 local 18 Oct to 2359 local 30 Nov 04. The temporary closure is authorized for a resurfacing project on the double-leaf bascule.

Chart 18583 LNM: 26/04

OREGON - Bridge Information (Revisions of LNM 04/04)

Willamette River

The Broadway Bridge at mile 11.7 will require 24 hour notification for openings from 27 Feb to 15 Nov 04 due to operations related to painting.

Chart 18526 LNM: 09/04

COLUMBIA RIVER - Bridge Information (Revision of LNM 42/04)

Vancouver

The dual liftspans of the Interstate 5 dual vertical lift bridges at river mile 106.5 will be maintained in the closed position until 0700 local 08 Nov 04 due to a major mechanical-electrical rehabilitation project. From 0700 local 08 Nov to 0900 local 15 Nov 04, a two-hour notice is required for openings. Charts 18524, 18526

LNM: 43/04

WASHINGTON - Bridge Information

Snohomish River

The Burlington Northern Santa Fe Railroad Bridge #37 at mile 3.5 will have construction equipment for repairing the fender system of the main span and will temporarily be in and out of the channel until some time in October 2004. Mariners are advised to pass with caution.

Chart 18444 LNM: 33/04

43/04 Page 6 of 12 10/26/2004

WASHINGTON - Bridge Information (Revision of LNM 35/04)

Tacoma Narrows Bridge

Construction - Barges and other equipment will be deployed at various locations around the piers of the new parallel bridge currently under construction. Mariners should be alert to anchor cables and give all equipment a wide berth. Tower cranes will be mounted to the new piers (towers) and will swing wide with the possibility of accidental fall of material. Vessels and divers are advised to avoid the area within a 500-foot radius of the piers at 47-15-54N 122-32-49W and 47-16-15N 122-33-15W. Buoys mark the end of storm water outfall located approximately at 47-16-05N 122-33-32W. Charts 18448, 18474

WASHINGTON - Bridge Information

Lake Washington Ship Canal

The Montlake Bridge need not open for vessels from 1100 to 1300 and from 1530 to 1730 local on 13 Nov 2004. These temporary closures accommodate heavy road traffic near Husky Stadium.

Chart 18447 LNM: 38/04

WASHINGTON - Bridge Information

Hood Canal

The Hood Canal Bridge is unable to open on incoming tides until further notice. Chart 18476 LNM: 33/04

WASHINGTON - Bridge Information

Everett

State Route 529 Swingspan Bridge across Steamboat Slough at Everett is inoperable due to mechanical failure until further notice.

LNM: 36/03

Bridge Lighting Discrepancies:

Lights on the following bridges have been reported extinguished.

Waterway and Mile	Bridge Name	Location	Status	Date reported	BNM	LNM
Clatskanie River Mile 0.7	Clatskanie River Bridge	Clatskanie, OR	EXT	15 Sep 04	1058-04	38/04
Snake River Mile 58.5	Joso Bridge	Raparia, WA	EXT	06 Oct 04	1142-04	41/04
Snake River Mile 61.8	Sargent Bridge	Starbuck, WA	EXT	06 Oct 04	1143-04	41/04
Snake River Mile 83.2	SR 127 Bridge	WA	EXT	07 Oct 04	1144-04	41/04

Bridge Lighting Discrepancies Corrected:

The following bridge discrepancies have been corrected since the last Local Notice to Mariners:

Waterway and Mile Bridge Name Location Status Date reported BNM LNM

None

WASHINGTON - CHANGE OF OPERATIONAL CONTROL AND GEOGRAPHIC AREA OF RESPONISBILITY

Effective 01 Oct 04, Coast Guard responsibilities for operations and geographic areas has changed as follows:

Coast Guard Group Seattle's new area of responsibility is defined as: starts at the northeastern most point of Whatcom County and the Canadian border 49-00-00N 120-51-34W; then proceeds along the Canadian border eastward to the Montana-North Dakota boundary; thence southerly along this boundary to the Wyoming State line; thence westerly and southerly along the Montana-Wyoming boundary to the Idaho State line; thence northwesterly along the Montana-Idaho boundary to 46-55-00N; thence westerly along 46-55-00N to 123-18-00W; thence northerly to a point 47-58-06N to 123-18-00W; thence easterly to Double Bluff Point 47-58-06N 122-32-48W; thence northward along the western shore of Whidbey Island to West Point then south easterly along the eastern shore of Whidbey Island at Strawberry Point 48-17-53N, 122-30-21W; thence easterly across Skagit Bay along the Skagit Snohomish County line to the southeastern most point of Skagit County thence to the point of origin.

Coast Guard Group Port Angeles' new area of responsibility is defined as: starts at 48-29-35N 124-43-45W and proceeds along the Canadian border eastward to the northeastern most point of Whatcom County and the Canadian border 49-00-00N 120-51-34W; thence southward following the Whatcom and Skagit Counties' eastern boundaries to the Snohomish County line at 48-17-44N 121-00-05W; thence westward across Skagit Bay to the eastern shore of Whidbey Island at Strawberry Point 48-17-53N 122-30-21W; thence northerly along the Whidbey Island shore to West Point then southerly along the western Whidbey Island shore to Double Bluff Point 47-58-06N 122-32-48W; thence westward to 123-18-00W; thence southward to 47-32-00N 123-18-00W; thence westerly along the 47-32-00N to the Exclusive Economic Zone (EEZ); thence northeasterly along the outermost extent of the EEZ to the Canadian border; thence easterly along the Canadian border to the point of origin. Port Angeles's Search and Rescue Mission Coordination responsibilities extend from its eastern most boundary seaward to 50 nautical miles west of the coastline. Additionally, Group Port Angeles has Search and Rescue Mission Coordination responsibilities in the area bounded by 48-29-35N 126-00-00W eastward to 48-29-35N 124-43-45W thence southwesterly along the EEZ to 48-08-12N. Coast Guard District Thirteen maintains Search and Rescue Mission Coordination responsibilities from 50 nautical miles westward to the EEZ.

Charts 18480, 18440 and 18400 LNM: 39/04

THIRTEENTH COAST GUARD DISTRICT - 2004 Special Local Notice to Mariners

U.S. Coast Guard District 13 has Published the 2004 Special Local Notice to Mariners. The Special Local Notice to Mariners is available for down load from the web at http://www.uscg.mil/d13/oan/slnm2004.pdf or http://www.navcen.uscg.gov/lnm/d13/slnm2004.pdf. A limited number of Special Local Notice to Mariners are available for mailing by calling (206) 220-7270.

Chart N/A

LNM: 27/04

43/04 Page 7 of 12 10/26/2004

THIRTEENTH COAST GUARD DISTRICT - Request for information on the use of large-scale driftnets on the high seas (Revision to LNM 09/04)

The United States Coast Guard (USCG) requests mariners be on the lookout for and report any observed driftnets or vessels engaged in driftnet fishing on the high seas (more than 200NM from shore). Sighting information may be made to any of the following Coast Guard offices:

Offices USCG Pacific Area Alameda, CA Commander (Poo) Coast Guard Island, 51-5 Alameda, CA 94568	Phone 1-800-246-7236 1-510-437-3701	Fax 1-510-437-3017	Telex 230172343	Email OD11/Pacarea@d11.uscg.mil
USCG 14th District Honolulu, HI Commander D14 (ole) 300 Ala Moana Blvd Honolulu, HI 96850-4982	1-800-331-6176 1-808-541-2500	1-808-541-2123		D14ccdutyofficer@D14.uscg.mil
USCG 17th District Juneau, AK Commander D17 (ole) PO Box 25517, Rm 771 Juneau, AK 99802-5517	1-800-478-5555 1-907-463-2000	1-907-463-2023	49615066	D17-cc@cgalaska.uscg.mil

Illegal high seas driftnet (HSDN) fishing has historically been conducted in the Northwest Pacific Ocean. Mariners following great circle routes between North America and Asia are most likely to encounter this activity. Fishing activity normally takes place between 01 Apr and 31 Aug. However, illegal activity may occur in other areas and at other times of the year.

Information desired include date, time, position, description of gear/vessel, name of vessel, home port and observed activity. Video or photographs are highly desired and can be mailed or emailed to any of the offices above.

HSDN Fishing Vessel Characteristics:

Chart N/A

HSDN fishing vessels typically range from 120 to 200 feet in length and are usually in fair to poor condition. Distinguishing characteristics include: Net tube: A large, usually white tube, which extends from the working deck to the net bin located aft. This tube is about two feet in diameter, runs along the port or starboard side of the superstructure, and is clearly visible from both the surface and air.

Net bin: A structure normally located on an aft deck in which the nets are stored.

Net spreader: A triangular or roller net spreading device, which prevents the net from becoming entangled as it enters the water. While only visible from the stern, this is one characteristic, which clearly distinguishes a HSDN fishing vessel from a longline or other fishing vessel.

Transponders: The radio transponders are approximately 4-6 ft tall, are used to mark the end of a net and are normally stored in racks on the weather decks.

When the net is in the water, it is normally suspended using cylindrical floats spaced every few feet, similar to swimming pool lane markers, with the ends of the nets marked with radio transponders. Other types of floats may be used, including larger spherical floats about 2-3 ft in diameter. The driftnets may vary from a couple hundred yards to several nautical miles in length.

Chart N/A

LNM: 32/04

THIRTEENTH COAST GUARD DISTRICT - Reporting suspicious activity

The Department of Homeland Security (DHS) encourages the maritime public to report information concerning suspicious activity to the National Response Center (NRC) at (800) 424-8802. The U.S. Coast Guard reminds the maritime industry that they may also report information concerning activity to their Local Federal Bureau of Investigation (FBI) Joint Terrorism Task Force (JTTF) Office, http://www.fbi.gov/contact/fo/fo.htm, or to other appropriate authorities. Individuals can contact the DHS Watch and Warning Unit at (202) 323-3205, toll free at (888) 585-9078, or by e-mail to nipc.watch@fbi.gov.

LNM: 15/03

COLUMBIA RIVER - APPROACHES TO ASTORIA - Scientific Buoy

The Oregon Health and Science University has temporarily deployed a Lighted Research Buoy (yellow can) at approximate position 46-10-30.0N 124-07-06.0W showing a Flashing Yellow 4 seconds (FL Y 4s) light. The buoy is expected to remain in place until 31 Oct 04. For additional information, contact Oregon Health and Science University at (503) 748-4059.

Chart 18521

LNM: 23/04

COLUMBIA RIVER - APPROACHES TO ASTORIA - Scientific Buoys (Revision to LNM 18/04)

Oregon State University has deployed 13 scientific buoys from bank to bank near Jim Crow Point at river mile 29 on the Columbia River until 29 Oct 04. Each buoy is a system of four 7in by 15in Styrofoam floats with attached contact information. For additional information, contact Oregon State University at (541) 737-2592.

Charts 18521, 18523 LNM: 26/04

COLUMBIA RIVER - ASTORIA - Construction Projects (Revision of LNM 45/02)

Marine construction activities are scheduled near Astoria on the Oregon side of the Columbia River at the Port of Astoria's Pier III near river mile 11. This is a long-term project that is expected to last until 2005. Mariners should use caution near the 1100-foot pier, as piles may not be visible at high tide. For questions concerning the long-term Pier III project contact the Port of Astoria at (503) 325- 4521.

LNM: 35/03

COLUMBIA RIVER - WILLAMETTE RIVER - Construction

Ecology and Environment, Inc will be constructing a 25 acre sediment cap at river mile 7 of the Willamette River outside the navigational channel from 01 Jul to 31 Oct 04. Multiple barges will be in the area throughout the construction period. Mariners are requested to use caution in the vicinity of the construction. For additional information, contact Oregon Department of Environmental Quality at (503) 229-6748.

Chart 18526 LNM: 26/04

OREGON / WASHINGTON - COASTAL REGION - Tsunami Reporting System

As part of the Pacific Tsunami Reporting System the following surface buoys have been deployed by NOAA. Each buoy is a 2.5-meter disk, red and white in color, with the word "TSUNAMI" on it. Each buoy has a "FL Y 4s" light.

Buoy 46404 45-51-32N, 128-46-40W Buoy 46405 42-54-10N, 130-54-32W Buoy D - 127 45-31-26N, 127-35-38W

Chart 501 LNM: 29/03

OREGON / WASHINGTON - COASTAL REGION - NOAA

NOAA buoys 46404 and 46405 have been temporarily discontinued.

Chart 501 LNM: 14/04

COLUMBIA AND SNAKE RIVERS - 2004 Winter Seasonal Lockage Schedule for Recreational Craft

The U.S. Army Corps of Engineers, Walla Walla and Portland Districts, have implemented the 2004/2005 winter seasonal lockage schedule, which is effective from 16 September 2004 to 14 May 2005 for the passage of recreational craft through the following navigation locks:

Walla Walla District Locks				Portland District Locks				
1	Navigation Lock	Location	Chart	Navigation Lock	Location	Chart		
Mc	Nary Dam	Columbia River Mile 292	18539	Bonneville Dam	Columbia River Mile 145	18531		
Ice	Harbor Dam	Snake River Mile 9.7	18545	The Dalles Dam	Columbia River Mile 191	18533		
Lov	ver Monumental Dam	Snake River Mile 41.6	18545	John Day Dam	Columbia River Mile 216	18535		
Littl	e Goose Dam	Snake River Mile 70.3	18546	-				
Lov	ver Granite Dam	Snake River Mile 107 3	18548					

When a recreational vessel lockage schedule is in effect, recreational vessels will only be allowed to lock through at the times designated for such lockages and they will take precedence over commercial vessels. Commercial vessels will continue to be locked through upon arrival except during the times specified for recreational vessel lockages. At the discretion of the lock operator, recreational vessels may be allowed to lock through with commercial craft. All vessel owner/operators lock through at their own risk. Follow the directions of the lock operator when using the locks or operating in the vicinity of the locks. The lock operator has the final authority on the suitability of a craft for lockage. Refer to the U.S. Army Corps of Engineers Safe Lockage Policy for Recreational Craft on the Columbia and Snake Rivers for additional safety requirements. For additional information on this matter or copies of the Safe Lockage policy, visit the following website: http://www.nwp.usace.army.mil/op/s/nl or contact the Walla District at (509) 527-7113 or the Portland District at (503) 808-4332/(503) 808-4333.

The three Portland District Locks and the five Walla Walla District Locks will use the same lockage schedule making the lockage times for the entire Columbia/Snake River system identical for recreational vessels. The following seasonal recreational craft lockage schedule will be implemented beginning 16 Sep 2004:

Traffic Direction Times

 Upstream Lockages
 8:00 a.m.
 11:00 p.m.
 3:00 p.m.

 Downstream Lockages
 8:30 a.m.
 11:30 p.m.
 3:30 p.m.

Consideration will be given for special lockages to flotillas or other unique events sponsored by yacht clubs, marinas, and other groups, provided advance (24 hours) arrangements have been made with the appropriate operations manager or their appointed representative. The following project office and operations managers should be contacted for scheduling of special lockages:

Project	Operations Managers	Phone Number	Alternate Number
Bonneville	Chief Operator on Duty	(541) 374-8323	N/A
The Dalles	Chief Operator on Duty	(541) 298-4007	N/A
John Day	Chief Operator on Duty	(541) 298-9712	N/A
McNary	Randell Ryan	(541) 922-2251	(541) 922-3214
Ice Harbor	Scott Sutliff	(509) 543-3251	(509) 547-7783
Lower Monumental	Matt Allen	(509) 282-7353	(509) 282-3218
Little Goose Project	Scott Ross	(509) 399-2233 x253	(509) 399-2233 x231
Lower Granite Project	Martin Mendiola	(509) 843-1493 x258	(509) 843-1493 x231

Chart N/A LNM: 37/04

WASHINGTON - STRAIT OF JUAN DE FUCA - Puget Sound Vessel Traffic Services Measure (33CFR161.11)

In support of the Cooperative Vessel Traffic Services (CVTS) Agreement all vessels over 300GT inbound for the U.S. via the Strait of Juan De Fuca are required to submit a 24 hour CVTS offshore advancement report. Follow the IMO Standard Ship Reporting system (Resolution A.648 (16), MSC/WP6). Submit the report using the methods below.

- Via e-mail, <a href="mic-pacific@pac.dfo-mpo.gc.ca<mailto:rmic-pacific@pac.dfo-mpo.gc.ca">mic-pacific@pac.dfo-mpo.gc.ca
 Via INMARSAT telex 04352586 "CGTC VAS VCR"
- Via any Canadian Coast Guard MCTS Centre, free of charge
- Or directly to CVTS Offshore by FAX: 604-666-8453

For additional information, contact Vessel Traffic Services, Puget Sound at (206) 217-6051.

Chart N/A I NM: 29/04

WASHINGTON - STRAIT OF JUAN DE FUCA - PUGET SOUND - Security Zone of Passenger Vessels (Revision to LNM 06/03)

The Coast Guard is establishing a temporary moving security zone of 500 yards surrounding passenger vessels while within the waters of Puget Sound and adjacent waters. A passenger vessel is defined as any vessel over 100 feet in length (33 meters) carrying passengers for hire such as auto ferries, cruise ships, passenger ferries, and excursion vessels. All vessels within 500 yards of a passenger vessel shall operate at the minimum speed necessary to maintain a safe course and shall proceed as directed by the Official Patrol or passenger vessel master. The Official Patrol will consist of a Coast Guard patrol, Federal Law Enforcement officer or a General Authority Washington Peace Officer, Limited Authority Washington Peace Officer, Specially Commissioned Washington Peace Officer, or the passenger vessel master. This order is issued under the authority of the Ports and Waterways Safety Act, Title 33, U. S. Code 1221 et. Seq., and the regulations issued thereunder, Title 33, Code of Federal Regulations Part 165. Physical Boundaries: The following area is a security zone: All waters of Puget Sound, Washington State east of 123-30-00W [Datum: NAD 1983] within a 500 yard radius centered on passenger vessels while they are underway, anchored or moored.

Special Rules: All vessels within 500 yards of a passenger vessel shall operate at the minimum speed necessary to maintain a safe course, and shall proceed as directed by the Official Patrol or the passenger vessel master. No vessels will be allowed to transit this area without the permission of the Coast Guard, the Official Patrol or the passenger vessel master. Penalties for violating the zone: The Ports and Waterways Safety Act prescribes that whoever violates an order issued under the act is liable to a civil penalty of not more than \$27,500 for each violation. Each day of continuing violation shall constitute a separate violation. If such a violation is willful, you are subject to a criminal penalty of not more that \$250,000 and/or six years imprisonment. This criminal penalty is classified as a class "D" felony under federal law. Contact the Coast Guard Marine Safety Office, Puget Sound at (206) 217-6215 or VHF-FM Channel 16 for more information.

LNM: 32/03 Chart N/A

WASHINGTON - PUGET SOUND - SEATTLE TO BREMERTON - Ongoing Construction of Pier 36

During ongoing construction at Pier 36 that is expected to be completed September 2005, barges will be moored on the western face of Pier 36 sporadically. Barges will be marked with white flashing lights on the west corners and extend off the face no more than 110 ft. Mariners are requested to exercise caution in the vicinity of Pier 36.

Chart 18449 LNM: 33/03

WASHINGTON - PUGET SOUND - Acoustic Buoys (Revision of LNM 25/04)

Evans-Hamilton, Inc has deployed two acoustic doppler current meters (ADCPs) in approximate positions 47-45-44.1N 122-23-56.4W and 47-46-43.4N 122-24-40.2W. The instruments are in aluminum cages resting on the sea floor with no surface expression and will remain in place until early Jan 05. For additional information, contact Evans - Hamilton, Inc at (206) 526-5622.

Chart 18441 LNM: 42/04

WASHINGTON - LAKE WASHINGTON - Lock Closure

The Hiram M. Chittenden Large Lock will be closed to all traffic, with the small lock remaining open to all vessels within size restrictions from 0001 20 Nov to 1600 local 03 Dec 04 for annual maintenance. For additional information, contact the Army Corps of Engineers at (206) 783-7000. Chart 18447 LNM: 22/04

WASHINGTON - PUGET SOUND - DUWAMISH WATERWAY - Submerged Barge (Revision of LNM 05/03)

Six barges rather than the one barge previously reported in December 2002, have sunk in the Duwamish Waterway approximately 150 yards south of the 1st Avenue Bridge and are protruding into the west side of the channel. The owner of the partially submerged barge has marked the corner in the channel with a red float and a quick flashing red light. Attempts to salvage the barge have been unsuccessful. An announcement will appear in this publication as changes occur. Contact the Army Corps of Engineers at (206) 764-3429 for more information. Chart 18450

COLUMBIA RIVER - Portland - Marine Events

EVENT DATE	EVENT NAME	EVENT LOCATION	SPONSOR
10/30/2004	LOOP Rowing Regatta	Willamette River; Lake Oswego to Oaks Park	Oregon Rowing Unlimited

SECTION VIII – LIGHT LIST CORRECTIONS An Asterisk *, indicates the column in which a correction has been made to new information (1) (2)(3)(6)(7)(8) No. Name and Location Position Characteristic Height Range Structure Remarks

10543 *	- Buoy 5	46 10 18 N 123 20 37 W			Green can.		43/04
12375	John Day RANGE FRONT LIGHT	45 42 56 N 120 42 16 W	QG	20	KRB on platform.	Visible 5.5°each side of rangeline.	43/04
12380	RANGE REAR LIGHT 275 yards, 060.8° from front light Cathlamet Bay South	Channal	ISO G 6s	35	KRB on skeleton tower.	Visible 5.5°each side of rangeline.	43/04
14730	- Buoy 7	Chamilei				Remove from list.	43/04
*	*					*	

PUBLICATION CORRECTIONS

None

ENCLOSURES

Oregon - Washington - Columbia River - Dredging Operations >See Append 1< Washington - U.S. Coast Guard Group Port Angeles and Group Seattle areas of responsibilities >See Append 2<

If you have any questions, comments, or need additional information concerning this or other LNMs or the LNM Mailing List (e.g. additions, deletions, corrections) contact the address or phone number on the front page.

D. R. McCRIMMON, JR.
Commander, U.S. Coast Guard
Chief, Aids to Navigation & Waterways Management Branch
Thirteenth Coast Guard District
By direction of the District Commander

OREGON - WASHINGTON - COLUMBIA RIVER - Dredging Operations

Dredging operations are planned or in progress at the following locations:

Start Date	End Date	Times	Location	Dredge Vessel	Assist Vessel	Channels Monitored	Disposal Area	LNM
16 Aug 04	15 Feb 05	0700- 1900 Mon - Fri	<u>Duwamish River</u>	DB Seattle		14 and 16 VHF-FM	Terminal 25	32/04
19 Jul 04	15 Feb 05	0500- 1800 Mon - Fri	East Waterway	Mason Derrick	Olympic Tug, Rebel and Minnie	8 and 14 VHF-FM	Terminal 25 and Elliott Bay	28/04
16 Jul 04	Dec 04	24 hours 6 days	Blair Waterway	Vulcan	Gladys M Wollochet	13, 14 and 66 VHF-FM	Blair Waterway Slip 5 and PSSDA	28/04
11 Oct 04	02 Dec 04	0700- 1400 Mon - Fri	Cap Sante Marina	DB Tacoma	Rossario	13 and 14 VHF-FM	48-30-52.2N 122-43-33.6W	40/04
19 Oct 04	02 Nov 04	24 hours 7 days	Intermittent Sites +22+36+00 to 87+00+00	Essayons		13 and 16 VHF-FM	Various Sites	42/04

^{*}US Army Corps of Engineer dredges request mariners transit at their slowest safe speed to minimize wake when in the vicinity of a dredge and proceed after passing arrangements have been made.

